140 liter tank i Syrafast 316



32 000 SEK /st exkl moms

Additional information: Pharmacy; Feet screwed onto a mobile plastic frame (total height without frame approx. 1,550 mm); handhole diameter 135 mm; lower bottom with dents (see photos)
Volumetric volume (L): 140 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 24

Agitator: yes
Number of revolutions: 920
Power: 0,37
Internal diameter tank: 546 mm
Cylinder height: 580 mm

Total height of tank: 1.700 mm

SKU: 483212

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Pharmacy; Feet screwed onto a mobile plastic frame (total height without frame approx. 1,550 mm); handhole diameter 135 mm; lower bottom with dents (see photos); we can't give any guarantees about
Övrig information2: the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 140

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 580 mm
Invändig diameter: 546 mm
Total höjd: 1.700 mm

Omrörare

Kraft (kW): 0,37
Varvtal: 920

Mer
Isolerad: Nej