

## 14000 liter tank i Rostfritt 304



**111,000,00 kr /st exkl moms**

**Additional information:** Double jacket, Aisi 304 for heating/cooling around the lower cylinder area and the lower bottom; lower inner bottom with dents; Manhole approx. 320 x 420 mm (1 connection in the manhole cover torn; see photos); some residues of previous content

**Volumetric volume (L):** 14.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single jacketed with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Heat exchanger:** RVS 304  
**Documents included:** no  
**Technical drawing included:** no

**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** in the bottom  
**Outlet of tank:** 100  
**Agitator:** yes

**Number of revolutions:** 9,50  
**Power:** 11  
**Cylinder:** 4,10 mm  
**Bottom:** 4,10 mm  
**Internal diameter tank:** 2.400 mm

**Outer diameter tank:** 2.480 mm  
**Cylinder height:** 2.980 mm  
**Total height of tank:** 5.350 mm

**SKU:** 275809

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Double jacket, Aisi 304 for heating/cooling around the lower cylinder area and the lower bottom; lower inner bottom with dents; Manhole approx. 320 x 420 mm (1 connection in the manhole cover torn;

Övrig information2: see photos) ; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 14000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 2.980 mm  
Invändig diameter: 2.400 mm  
Total höjd: 5.350 mm  
Ytterdiameter: 2.480 mm

## Omrörare

Kraft (kW): 11  
Varvtal: 9,50

## Tjocklek på tank

Botten: 4,10 mm  
Cylinder: 4,10 mm

## Mer

Värmeväxlare: RVS 304  
Isolerad: Nej