14000 liter tank i Rostfritt 304



79 000 SEK /st exkl moms

Additional information: Skirt support, Aisi 304; manhole diameter 510 mm; Insulation jacket cut open below (see photos); bump at the insulation jacket
Volumetric volume (L): 14.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: available
Internal diameter tank: 2.350 mm
Outer diameter tank: 2.470 mm
Cylinder height: 3.200 mm
Total height of tank: 5.150 mm

SKU: 401651

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Skirt support, Aisi 304; manhole diameter 510 mm; Insulation jacket cut open below (see photos); bump at the insulation jacket
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 14000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.200 mm
Invändig diameter: 2.350 mm
Total höjd: 5.150 mm
Ytterdiameter: 2.470 mm

Mer

Isolerad: Ja