

## 14000 liter tank i Rostfritt 304



**97,000,00 kr /st exkl moms**

**Additional information:** recycling industry; insulation jacket with dents and cut-outs; 1 opening appr. 310 mm in the upper bottom; feet plates bent; 1 tank with dents in the cylinder; the other tank with stronger adhesions inside and a hole in the outlet pipe; some residues of previous content

**Volumetric volume (L):** 14.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** 85  
**Agitator:** yes  
**Number of revolutions:** 20  
**Power:** 2,20  
**Internal diameter tank:** 1.990 mm

**Outer diameter tank:** 2.200 mm  
**Cylinder height:** 4.000 mm  
**Total height of tank:** 6.200 mm

**SKU:** 269848

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: recycling industry; insulation jacket with dents and cut-outs; 1 opening appr. 310 mm in the upper bottom; feet plates bent; 1 tank with dents in the cylinder; the other tank with stronger adhesions

Övrig information2: inside and a hole in the outlet pipe; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 14000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.000 mm

Invändig diameter: 1.990 mm

Total höjd: 6.200 mm

Ytterdiameter: 2.200 mm



## Omrörare

Kraft (kW): 2,20

Varvtal: 20

## Mer

Isolerad: Ja