

14300 liter tank i Rostfritt 304



92,000,00 kr /st exkl moms

Additional information: coatings industry; 1 foot shorter than the others; the other 2 feet with a welded metall part under the bottom plate (see pictures); for installation the feet needs to be reworked; manhole diameter 600 mm; some residues of previous content; manhole cover plated

Volumetric volume (L): 14.300 L

Pressure in tank: pressure
Max. pressure (Bar): 0,50 Bar
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Max Overpressure: 0,50 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: flange DN80
Internal diameter tank: 2.490 mm
Cylinder height: 2.250 mm

Total height of tank: 3.600 mm

SKU: 269575

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: coatings industry; 1 foot shorter than the others; the other 2 feet with a welded metall part under the bottom plate (see pictures); for installation the feet needs to be reworked; manhole diameter

Övrig information2: 600 mm; some residues of previous content; manhole cover plated

Omrörare: Nej

Övertryck: 0.50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 14300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.250 mm

Invändig diameter: 2.490 mm

Total höjd: 3.600 mm

Mer

Isolerad: Nej
