

1495 liter tank i Syrafast 316



62 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 3 support brackets, Aisi 304; 1 tank with screwed-on reducer on the outlet (reduces the outlet to the diameter of the pipe inside approx. 30 mm; reducer with external parts made of Fe); 1 tank with a sight glass opening in the manhole cover (sight glass is missing; see photos); this tank is due to the lack of fittings slightly lower overall



Volumetric volume (L): 1.495 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 2 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN50

Top: 7 mm

Cylinder: 5 mm

Bottom: 4,20 mm

Internal diameter tank: 1.200 mm

Cylinder height: 980 mm

Total height of tank: 1.950 mm

Empty weight tank: 600

SKU: 290015

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; 3 support brackets, Aisi 304; 1 tank with screwed-on reducer on the outlet (reduces the outlet to the diameter of the pipe inside approx. 30 mm; reducer with external parts

Övrig information2: made of Fe); 1 tank with a sight glass opening in the manhole cover (sight glass is missing; see photos); this tank is due to the lack of fittings slightly lower overall

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1495

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316



Dimensioner av tank

Cylinderhöjd: 980 mm

Invändig diameter: 1.200 mm

Total höjd: 1.950 mm

Tjocklek på tank

Botten: 4,20 mm

Cylinder: 5 mm

Topp: 7 mm

Mer

Isolerad: Nej

Vikt: 600