150 liter tank i Syrafast 316



32 000 SEK /st exkl moms

Additional information: Mobile frame made of V2A; container lid made of V2A
Volumetric volume (L): 150 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 25

Agitator: yes
Number of revolutions: 31
Power: 0,12
Internal diameter tank: 590 mm
Cylinder height: 600 mm

Total height of tank: 1.100 mm

SKU: 740392

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Mobile frame made of V2A; container lid made of V2A; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 150

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 600 mm
Invändig diameter: 590 mm
Total höjd: 1.100 mm

Omrörare

Kraft (kW): 0,12
Varvtal: 31

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolerad: Nej