

## 1500 liter tank i Rostfritt 304



**107,000,00 kr /st exkl moms**

**Article type:** second-hand pressure tank

**Additional information:** The lid for the smaller connection on the top is missing, the cap for the electromotor is missing, the nuts for the manway are missing; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

**Volumetric volume (L):** 1.500 L

**Ra inner weld:** 0,80

**Pressure in tank:** pressure

**Design pressure (Bar):** 5,25 Bar

**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** -1 Bar  
**Max. temperature (°C):** 135 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no

**Top type:** dished  
**Shape of tank:** cylindrical  
**Bottom type:** dished  
**Total discharge:** yes  
**Fixation points:** 3 non adjustable feet

**Water pressure HE:** 5 Bar  
**Hydraulic test pressure:** 6,89 Bar  
**Working temperature HE cylinder:** 135 °C  
**Manway(s):** RVS 304  
**Gasket manway(s):** unknown

**Valve:** RVS 304  
**Gasket shut-off valve (mat):** unknown  
**Fixation point(s):** RVS 304  
**Wet parts agitator(s):** SS AISI 304 (V2A)  
**Suitable for food industry:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Number of manways:** 1

**Position of manway:** at the top  
**Total outlet valve:** yes  
**Agitator:** yes  
**Agitator type:** tripod  
**Position engine:** in the bottom

**Outer diameter tank:** 1.500 mm

**Total height of tank:** 2.000 mm

**Empty weight tank:** 750

**SKU:** 20070

---

Mer information

---