



## 1500 liter tank i Syrafast 316



**Additional information:** food industry; Rectangular funnel approx. 490 x 690 mm in the upper bottom (tapers to approx. 320 x 680 mm; lid suspensions are partially bent); smaller dents in the insulation jacket; some residues of previous content

**Capacity:** 1.500 L

**Working pressure in tank:** vacuum

**Underpressure (vacuum):** 1 Bar

**Max. working temperature:** 143 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes



**Insulation:** yes

**Agitator:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 165 L

**Max Overpressure:** 3 Bar

**Max. working temperature:** 143 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Tank outlet:** 100

**Number of revolutions:** 6,14

**Power:** 3

**Internal diameter tank:** 1.130 mm

**Outer diameter tank:** 1.360 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 2.900 mm

**SKU:** 26115

## Additional Information

Volym i liter	1500
Nyttillverkad/Begagnad	Begagnad
Modell	Vertikal



Material	Syrafast 316
Omrörare	Ja
Uppvärmning/kylning	Ja
Isolerad	Ja
Ytterdiameter	1.360 mm
Cylinderhöjd	1.000 mm
Total höjd	2.900 mm