

1500 liter tank i Rostfritt 304



43,000,00 kr /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Shape of tank: oval

Bottom type: dished

Total discharge: yes

Fixation points: supports for platform

Insulation material: Rockwool

Outer jacket (ornamental wall): polyester

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): painted steel

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 65 mm

Total height of tank: 1.370 mm

Total outer width: 1.750 mm

Total outer length: 1.320 mm

Empty weight tank: 420

SKU: 481615

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Omrörare: Nej
Tankens form: oval
Total urtappning: Ja
Typ av botten: dished
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 65 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): painted steel
Isoleringsmaterial: Rockwool
Ytterbeklädnad: polyester

Dimensioner av tank

Total höjd: 1.370 mm

Tjocklek på ytterbeklädnad och isolering

Isoleringsmaterial: Rockwool

Mer

Isolerad: Ja

Vikt: 420