

1500 liter tank i Rostfritt 304



48,000,00 kr /st exkl moms

Additional information: Biochemistry; Armaflex insulation in parts of the cylinder; manhole approx. 325 x 420 mm; 3 baffles and 1 perforated pipe inside the vessel (see photos)

Volumetric volume (L): 1.500 L

Pressure in tank: pressure

Max. pressure (Bar): 6 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN80

Internal diameter tank: 1.100 mm

Cylinder height: 1.250 mm

Total height of tank: 2.700 mm

SKU: 564754

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Biochemistry; Armaflex insulation in parts of the cylinder; manhole approx.

325 x 420 mm; 3 baffles and 1 perforated pipe inside the vessel (see photos)

Omrörare: Nej

Övertryck: 6 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.250 mm

Invändig diameter: 1.100 mm

Total höjd: 2.700 mm

Mer

Isolerad: Ja

