

1500 liter tank i Rostfritt 304



54,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: Filter tank for beer

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): -10 °C

Min. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: bridge with 2 lids

Shape of tank: rectangular

Bottom type: flat sloping

Total discharge: yes

Fixation points: 6 adjustable feet

Insulation material: PUR

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: DIN11851 male

Total outlet valve: no

Insulation thickness: 50

Total height of tank: 1.700 mm

Total outer width: 1.100 mm

Total outer length: 2.500 mm

Empty weight tank: 500

SKU: 182323

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Max. arbetstemperatur: -10 °C
Min. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: Filter tank for beer
Omrörare: Nej
Tankens form: rectangular
Total urtappning: Ja
Typ av botten: flat sloping
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 32 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851 male
Utloppsventil: Nej

Översikt material

Material: Rostfritt 304
Isoleringsmaterial: PUR

Dimensioner av tank

Total höjd: 1.700 mm

Tjocklek på ytterbeklädnad och isolering

Isoleringsmaterial: PUR

Mer

Isoleringstjocklek OW: 50

Isolerad: Ja

Vikt: 500