

1500 liter tank i Rostfritt 304



78 000 SEK /st exkl moms

Additional information: Dairy; Height-adjustable dome screws of the feet missing; hand lever of the butterfly valve missing; manhole cover not suitable for an operating pressure of 2 bar (vessel was probably last operated depressurized by the previous operator and the cover was replaced accordingly); bump at the insulation jacket; Functionality of the double jacket not checked

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 2 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max. working temperature: 20 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: in the bottom

Outlet of tank: DN65 DIN 11851

Internal diameter tank: 1.150 mm

Outer diameter tank: 1.300 mm

Cylinder height: 1.550 mm

Total height of tank: 2.700 mm

SKU: 275197

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 120 °C

Mobil tank: Nej

Övrig information: Dairy; Height-adjustable screws of the feet are missing; hand lever of the butterfly valve is missing; Manhole cover not suitable for an operating pressure of 2 bar (vessel was probably operated

Övrig information2: depressurized by the previous operator and the cover was replaced accordingly); bump at the insulation jacket;Functionality of the double jacket not checked

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.550 mm
Invändig diameter: 1.150 mm
Total höjd: 2.700 mm
Ytterdiameter: 1.300 mm

Mer

Isolerad: Ja