

15000 liter tank i Rostfritt 304



213,000,00 kr /st exkl moms

Additional information: Crystallization tank in a dairy; Double jacket of 1 tank with a drip ring - only suitable for cooling; 2 tanks may not have a drip ring; smaller dents and sometimes small cracks in the insulation jacket, 1 tank with stronger dents in the insulation jacket (this tank is probably damaged in the gearbox bearing of the agitator); tank drawing partially different from the tanks; If you are looking for tanks

that are identical to this item, we can offer you 3 identical or similar models from an external warehouse (no guarantee); pipe end cut flush

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 1.800 L

Max. working temperature: 100 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 80

Agitator: yes

Number of revolutions: 19,60

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.550 mm

Total height of tank: 6.400 mm

SKU: 286820

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Crystallization tank in a dairy; Double jacket of 1 tank with a drip ring – only suitable for cooling; 2 tanks may not have a drip ring; smaller dents and sometimes small cracks in the insulation

Övrig information2:

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.400 mm

Total höjd: 6.400 mm

Ytterdiameter: 2.550 mm

Omrörare

Varvtal: 19,60

Mer

Värmeväxlare: RVS 304

Isolerad: Ja