

15000 liter tank i Rostfritt 304



85,000,00 kr /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 85 mm

Agitator: no, optional

Distance from outlet to ground: 200 mm

Outer diameter tank: 2.300 mm

Cylinder height: 3.750 mm

Total height of tank: 4.750 mm

Empty weight tank: 800

SKU: 563740

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosfERIC
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 15000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Tankutlopp: inside Ø 85 mm
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 3.750 mm
Mått utlopp till marken: 200 mm
Total höjd: 4.750 mm
Ytterdiameter: 2.300 mm

Mer

Isolerad: Nej

Vikt: 800