

## 15000 liter tank i Rostfritt 304



**95 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** There is still some leftover from the previous product; the previous product was beer

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Bottom outlet:** yes

**Total discharge:** no

**Fixation points:** 3 non adjustable feet

**Type of HE on the cylinder:** dimple-jacket

**Position HE:** top side of the cilinder

**Height per section:** 900 mm

**Water pressure HE:** 2 Bar

**Heat exchanger:** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Agitator:** no, optional

**Distance from outlet to ground:** 180 mm

**Outer diameter tank:** 2.500 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 4.400 mm

**Empty weight tank:** 1.200

**SKU:** 299468

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: There is still some leftover from the previous product; the previous product was beer

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Nej

Typ av botten: dished

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304



## Dimensioner av tank

Cylinderhöjd: 3.000 mm  
Mått utlopp till marken: 180 mm  
Total höjd: 4.400 mm  
Ytterdiameter: 2.500 mm

## Värmeväxlare

Position värmeväxlare: top side of the cilinder  
Typ av värmeväxlare på cylinder: dimple-jacket  
Vattentryck värmeväxlare: 2 Bar

## Mer

Värmeväxlare: RVS 304  
Isolerad: Nej  
Vikt: 1.200