15000 liter tank i Rostfritt 304



116 000 SEK /st exkl moms

Additional information: textile factory; Several pipes inside; some residues of previous content; pipe end cut flush
Volumetric volume (L): 15.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Internal diameter tank: 2.470 mm
Outer diameter tank: 2.580 mm
Cylinder height: 2.930 mm
Total height of tank: 4.150 mm

SKU: 458312

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: textile factory; mehrere Rohrleitungen innen; some residues of previous content;pipe end cut flush
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 15000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.930 mm
Invändig diameter: 2.470 mm
Total höjd: 4.150 mm
Ytterdiameter: 2.580 mm

Mer

Isolerad: Ja

Rodervägen 57
891 78 Bonässund
info@processoverskott.se