

15000 liter tank i Rostfritt 304



76 000 SEK /st exkl moms

Additional information: 4 claws made of Fe; cone height approx. 1,400 mm; 2 open connections in the cylinder (see photos); sketch available; some residues of previous content

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 300

Internal diameter tank: 1.800 mm

Cylinder height: 4.500 mm

Total height of tank: 6.550 mm

SKU: 458702

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 4 support brackets, Fe; cone height appr. 1400 mm; 2 open connections in the cylinder (see photos); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm

Invändig diameter: 1.800 mm

Total höjd: 6.550 mm

Mer

Isolerad: Nej