

## 15000 liter tank i Rostfritt 304



**284 000 SEK /st exkl moms**

**Additional information:** Both manhole covers available; the access ladder, drip tray and agitator are optionally available at an extra charge. Vessels are cleaned inside and out before delivery.

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Outlet of tank:** flange DN65

**Top:** 4 mm

**Cylinder:** 4 mm

**Bottom:** 4 mm

**Internal diameter tank:** 2.000 mm

**Cylinder height:** 5.000 mm

**Total height of tank:** 6.300 mm

**Empty weight tank:** 3.500

**SKU:** 571013

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Both manhole covers available; optional access ladder, drip tray and agitator available at extra cost

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 5.000 mm

Invändig diameter: 2.000 mm

Total höjd: 6.300 mm

## Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

Topp: 4 mm

**Mer**

Isolerad: Ja

Vikt: 3.500

---