

15000 liter tank i Rostfritt 304



131 000 SEK /st exkl moms

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 98 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: cylinder

Outlet of tank: available

Outer diameter tank: 2.500 mm

Total height of tank: 4.900 mm

Empty weight tank: 1.000

SKU: 706282

Mer information



Beskrivning av produkt

Material: Rustfritt stål 304
Modell: Vertikal
Nyttillverkad/Begagnad: Brukt
Arbetsstryck i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Max. arbetstemperatur: 98 °C
Mobil tank: Nei, det er det ikke.
Omrörare: Nei
Total urtappning: Ja
Uppvärmning/kylning: Nei, det er det ikke.
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 15000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Ja
Märkskylt: Ja
Teknisk ritning finns: Nei, det er det ikke.

Översikt material

Material: Rustfritt stål 304

Dimensioner av tank

Total höjd: 4 900 mm
Ytterdiameter: 2 500 mm

Mer

Isolerad: Nei
Vikt: 1.000