

## 15000 liter tank i Rostfritt 304



**137,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** Steel heating pipes 2" in the skirt below the bottom of the tank;

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,20 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no



**Insulation:** yes

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** flat

**Total discharge:** no

**Fixation points:** on skirt

**Insulation material:** rockwool

**Outer jacket (ornamental wall):** RVS 304

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 400 mm

**Tank outlet:** inside Ø 40 mm

**Outlet type:** DIN11851 female

**Insulation top:** yes

**Insulation body:** yes

**Insulation thickness:** 50

**Internal diameter tank:** 2.400 mm

**Distance from outlet to ground:** 300 mm

**Outer diameter tank:** 2.500 mm

**Cylinder height:** 3.325 mm

**Total height of tank:** 4.200 mm

**Empty weight tank:** 2.500

**SKU:** 92104

---

Mer information

---