

## 15000 liter tank i Rostfritt 304



**112,000,00 kr /st exkl moms**

**Article type:** second-hand

**Additional information:** Steel heating pipes 2" in the skirt below the bottom of the tank;

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes



**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** flat

**Total discharge:** no

**Fixation points:** on skirt

**Insulation material:** rockwool

**Outer jacket (ornamental wall):** RVS 304L

**Manway(s):** RVS 304L

**Gasket manway(s):** unknown

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** at the top

**Height manhole 1 (mm):** 400 mm

**Tank outlet:** inside Ø 32 mm

**Outlet type:** DIN11851 female

**Agitator:** no, optional

**Top:** 2,50 mm

**Cylinder:** 2,50 mm

**Bottom:** 3 mm

**Insulation top:** yes

**Insulation body:** yes

**finish of the outer jacket:** welded

**Insulation thickness:** 50

**Tank capacity top cylinder:** 15.000 L

**Internal diameter tank:** 2.400 mm

**Distance from outlet to ground:** 300 mm

**Outer diameter tank:** 2.500 mm

**Cylinder height:** 3.380 mm

**Total height of tank:** 4.250 mm

**Empty weight tank:** 2.000

**SKU:** 181327

---

Mer information

---