

## 15000 liter tank i Rostfritt 304



**82 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** Dents in the cylinder --> see photos

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** conical

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Hinged lid:** yes

**Tank outlet:** inside Ø 130 mm

**Agitator:** no

**Distance from outlet to ground:** 110 mm

**Outer diameter tank:** 2.550 mm

**Cylinder height:** 3.020 mm

**Total height of tank:** 3.950 mm

**Empty weight tank:** 850

**SKU:** 485951

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Mobil tank: Nej  
Övrig information: Dents in the cylinder -> see photos  
Omrörare: Nej  
Tankens form: cylindrical  
Total urtappning: Ja  
Typ av botten: conical  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 15000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Tankutlopp: inside Ø 130 mm  
Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): RVS 304

## **Dimensioner av tank**

Cylinderhöjd: 3.020 mm

Mått utlopp till marken: 110 mm

Total höjd: 3.950 mm

Ytterdiameter: 2.550 mm

## **Mer**

Isolerad: Nej

Vikt: 850