

15000 liter tank i Rostfritt 304



118 000 SEK /st exkl moms

Additional information: Rennet production; Manhole diameter approx. 415 mm; tank with build-up inside; slight corrosion on the inside & outside of the vessel; dents at the insulation jacket

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Model: vertical
Configuration: insulated

Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: DN50 DIN 11851

Agitator: yes
Number of revolutions: 1.420
Power: 3
Internal diameter tank: 2.490 mm
Outer diameter tank: 2.600 mm

Cylinder height: 2.900 mm
Total height of tank: 4.700 mm

SKU: 280168

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Rennet production; Manhole diameter approx. 415 mm; tank with adhesions inside; slight corrosion on the inside and outside of the tank; dents at the insulation jacket; we can't give any guarantees

Övrig information2: about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.900 mm

Invändig diameter: 2.490 mm

Total höjd: 4.700 mm

Ytterdiameter: 2.600 mm

Omrörare

Kraft (kW): 3

Varvtal: 1.420

Mer

Isolerad: Ja