

15000 liter tank i Rostfritt 304



75 000 SEK /st exkl moms

Additional information: Labherstellung; Rectangular opening approx. 1000 x 1000 mm in the upper bottom; slight corrosion inside and outside

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Agitator: yes

Internal diameter tank: 2.890 mm

Outer diameter tank: 3.000 mm

Cylinder height: 2.240 mm

Total height of tank: 3.350 mm

SKU: 283102

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Labherstellung; Rechtecköffnung ca. 1000 x 1000 mm im Oberboden;
leichter Korrosionsansatz innen und außen; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 15000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.240 mm

Invändig diameter: 2.890 mm

Total höjd: 3.350 mm

Ytterdiameter: 3.000 mm

Mer

Isolerad: Ja