

15000 liter tank i Syrafast 316



229 000 SEK /st exkl moms

Additional information: Food production; Manhole approx. 410 x 510 mm; heating coil around approx. 1,800 mm of the lower cylinder height; slight signs of corrosion inside the tanks; pipe end cut flush

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 90 L

Max Overpressure: 3 Bar

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 35

Agitator: yes

Number of revolutions: 910

Power: 0,55

Internal diameter tank: 2.090 mm

Outer diameter tank: 2.290 mm

Total height of tank: 6.550 mm

SKU: 287669

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Food production; Manhole approx. 410 x 510 mm; heating coil around approx. 1,800 mm of the lower cylinder height; slight signs of corrosion inside the tanks; pipe end cut flush; we can't give any

Övrig information2: guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 15000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.090 mm

Total höjd: 6.550 mm

Ytterdiameter: 2.290 mm

Omrörare

Kraft (kW): 0,55

Varvtal: 910

Mer

Isolerad: Ja