

## 15000 liter tank i Syrafast 316



**228,000,00 kr /st exkl moms**

**Additional information:** Food production; Manhole approx. 410 x 510 mm; heating coil around approx. 1,800 mm of the lower cylinder height; slight signs of corrosion inside the tanks; pipe end cut flush

**Volumetric volume (L):** 15.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 90 L

**Max Overpressure:** 3 Bar

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 35

**Agitator:** yes

**Number of revolutions:** 910

**Power:** 0,55

**Internal diameter tank:** 2.090 mm

**Outer diameter tank:** 2.290 mm

**Total height of tank:** 6.550 mm

**SKU:** 287669

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Food production; Manhole approx. 410 x 510 mm; heating coil around approx. 1,800 mm of the lower cylinder height; slight signs of corrosion inside the tanks; pipe end cut flush; we can't give any

Övrig information2: guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 15000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 2.090 mm

Total höjd: 6.550 mm

Ytterdiameter: 2.290 mm

**Omrörare**

Kraft (kW): 0,55

Varvtal: 910

**Mer**

Isolerad: Ja