

## 1575 liter tank i Syrafast 316



**199,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; Manhole DN 350/450 (sight glass in the manhole cover is missing); support ring, Fe; Flanges partly made of Fe

**Volumetric volume (L):** 1.575 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3,20 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 55 L

**Max Overpressure:** 16 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 130

**Agitator:** yes

**Number of revolutions:** 10 - 50

**Power:** 5,50

**Top:** 7,10 mm

**Internal diameter tank:** 1.200 mm

**Cylinder height:** 1.030 mm

**Total height of tank:** 3.500 mm

**SKU:** 290463

---

Mer information

---