

## 1600 liter tank i Rostfritt 304



**43,000,00 kr /st exkl moms**

**Additional information:** chemistry; tank with a protective coating outside; dents and smaller cut-offs in the insulation jacket; handhole DN 250; Outlet with flanged (incomplete) fitting; some residues of previous content; Metallic discolouration inside

**Volumetric volume (L):** 1.600 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Outlet of tank:** flange DN25

**Internal diameter tank:** 1.190 mm  
**Outer diameter tank:** 1.340 mm  
**Total height of tank:** 2.650 mm

**SKU:** 270148

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: chemistry; tank with a protective coating outside; dents and smaller cut-offs in the insulation jacket; handhole DN 250; Outlet with flanged (incomplete) fitting; some residues of previous

Övrig information2: content;Metallic discolouration inside

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1600

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.190 mm

Total höjd: 2.650 mm

Ytterdiameter: 1.340 mm

## Mer

Isolerad: Ja

