1600 liter tank i Rostfritt 304



24 000 SEK /st exkl moms

Additional information: a total of 4x 400 liters available, if purchased individually, the tanks are removed from the frame, height-adjustable; manhole diameter: approx. 390 mm; vessels are connected to each other via a pipe system incl. feed pump, pressure equalization tank & electro-pneumatic positioner; 2x vessels with DN50 ball valve as outlet; 2x vessels with DN40 disc valve as outlet; ; some residues of previous content
Volumetric volume (L): 400 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Internal diameter tank: 1.082 mm
Cylinder height: 1.000 mm
Total height of tank: 2.230 mm
Total outer width: 1.300 mm
Total outer length: 6.450 mm

SKU: 426506

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: fruit juice; Volume consists of 4x 400 liter tanks; frame, height adjustable; Manhole diameter: approx. 390 mm; tanks are connected to each other via a pipe system including a feed pump, pressure
Övrig information2: compensation tank and electro-pneumatic control controller; 2x tanks with DN50 ball valve as outlet; 2x tanks with DN40 disc valve as outlet;; some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1600

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.082 mm
Total höjd: 2.230 mm

Mer
Isolerad: Nej