

1600 liter tank i Rostfritt 304



69,000,00 kr /st exkl moms

Additional information: fruit juice; Volume consists of 4x 400 liter tanks; frame, height adjustable; Manhole diameter: approx. 390 mm; tanks are connected to each other via a pipe system including a feed pump, pressure compensation tank and electro-pneumatic control controller; 2x tanks with DN50 ball valve as outlet; 2x tanks with DN40 disc valve as outlet; ; some residues of previous content

Volumetric volume (L): 1.600 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Internal diameter tank: 1.082 mm

Cylinder height: 1.000 mm

Total height of tank: 2.230 mm

Total outer width: 1.300 mm

Total outer length: 6.450 mm

SKU: 305105

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: fruit juice; Volume consists of 4x 400 liter tanks; frame, height adjustable;

Manhole diameter: approx. 390 mm; tanks are connected to each other via a pipe system including a feed pump, pressure

Övrig information2: compensation tank and electro-pneumatic control controller; 2x tanks with DN50 ball valve as outlet; 2x tanks with DN40 disc valve as outlet;; some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.082 mm

Total höjd: 2.230 mm

Mer

Isolerad: Nej
