

1600 liter tank i Rostfritt 304



42 000 SEK /st exkl moms

Additional information: chemistry; driving roles made of mild steel

Volumetric volume (L): 1.600 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 75

Internal diameter tank: 1.200 mm

Outer diameter tank: 1.290 mm

Cylinder height: 1.390 mm

Total height of tank: 2.550 mm

SKU: 266089

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: chemistry; driving roles made of mild steel
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1600

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.390 mm
Invändig diameter: 1.200 mm
Total höjd: 2.550 mm
Ytterdiameter: 1.290 mm

Mer

Isolerad: Ja