

1600 liter tank i Syrafast 316



80,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; 4 feet, stainless steel, screwed to 4 support brackets, stainless steel; Manhole DN 400; slight metallic discoloration inside; further technical documents available; bump at the insulation jacket; manhole cover is missing

Volumetric volume (L): 1.600 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN65

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 900 mm

Outer diameter tank: 1.060 mm

Total height of tank: 2.100 mm

Total outer length: 2.700 mm

SKU: 293422

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; 4 feet, stainless steel, screwed to 4 support brackets, stainless steel; Manhole DN 400; slight metallic discoloration inside; further technical documents available ; bump

Övrig information2: at the insulation jacket;manhole cover is missing

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 900 mm

Total höjd: 2.100 mm

Ytterdiameter: 1.080 mm

Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

Mer

Isolerad: Ja