16000 liter tank i Rostfritt 304



130 000 SEK /st exkl moms

Additional information: Fruit juice; Manhole approx. 320 x 420 mm; 1 vessel with minor dents, 2 vessels with stronger dents (one with small sheet metal cracks in one of the dents); height-adjustable dome screws of the feet partially missing
Volumetric volume (L): 16.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 100
Agitator: yes
Number of revolutions: 730 / 1455
Power: 13 / 19
Internal diameter tank: 1.990 mm

Cylinder height: 5.000 mm
Total height of tank: 6.300 mm

SKU: 399668

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Fruit juice; Manhole approx. 320 x 420 mm; 1 tanks with smaller dents, 2 tanks with strong dents (1 with small cracks in one of the dents); height-adjustable screws of the feet are partially
Övrig information2: missing; we can’t give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 16000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 5.000 mm
Invändig diameter: 1.990 mm
Total höjd: 6.300 mm

Omrörare

Kraft (kW): 13 / 19
Varvtal: 730 / 1455

Mer
Isolerad: Nej