

## 16000 liter tank i Rostfritt 304



**123,000,00 kr /st exkl moms**

**Article type:** second-hand storage tank

**Volumetric volume (L):** 16.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 45 °C

**Material wet parts:** SS AISI 304L (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no



**Mobile tank:** no

**Shape of tank:** cylindrical

**Wall type:** dished

**Total discharge:** no

**Fixation points:** 2 non adjustable feet

**Manway(s):** RVS 304L

**Gasket shut-off valve (mat):** unknown

**Fixation point(s):** RVS 304L

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** cylinder

**Agitator:** no, optional

**Top:** 5 mm

**Cylinder:** 5 mm

**Bottom:** 5 mm

**Distance from outlet to ground:** 250 mm

**Outer diameter tank:** 2.000 mm

**Cylinder height:** 5.000 mm

**Total height of tank:** 2.700 mm

**Total outer length:** 5.500 mm

**Empty weight tank:** 1.000

**SKU:** 309626

Mer information

---