

16000 liter tank i Rostfritt 304



123 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 16.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 45 °C

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Shape of tank: cylindrical

Wall type: dished

Total discharge: no

Fixation points: 2 non adjustable feet

Manway(s): RVS 304L

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304L

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Agitator: no, optional

Top: 5 mm

Cylinder: 5 mm

Bottom: 5 mm

Distance from outlet to ground: 250 mm

Outer diameter tank: 2.000 mm

Cylinder height: 5.000 mm

Total height of tank: 2.700 mm

Total outer length: 5.500 mm

Empty weight tank: 1.000

SKU: 309626

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 45 °C
Mobil tank: Nej
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Nej
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 16000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304L

Dimensioner av tank

Cylinderhöjd: 5.000 mm
Mått utlopp till marken: 250 mm
Total höjd: 2.700 mm
Ytterdiameter: 2.000 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 5 mm

Topp: 5 mm

Mer

Isolerad: Nej

Vikt: 1.000