

## 16000 liter tank i Rostfritt 304



**162,000,00 kr /st exkl moms**

**Additional information:** Food; Double jacket with trickle ring - only suitable for unpressurized temperature control

**Volumetric volume (L):** 16.000 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Position of manway:** cylinder

**Outlet of tank:** available

**Internal diameter tank:** 2.500 mm

**Cylinder height:** 3.150 mm

**Total height of tank:** 5.400 mm

**Empty weight tank:** 2.000

**SKU:** 569072

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Food; Double jacket with trickle ring – only suitable for unpressurized temperature control

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 16000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.150 mm

Invändig diameter: 2.500 mm

Total höjd: 5.400 mm

## Mer

Isolerad: Nej

Vikt: 2.000