

16000 liter tank i Rostfritt 304



76,000,00 kr /st exkl moms

Additional information: coatings industry; tanks with partly strong dents; outlet goes over the end of the feet (see pictures), for installation this must be considered; diameter manhole 600 mm; some residues of previous content

Volumetric volume (L): 16.000 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Top: 2 mm
Cylinder: 2 mm
Bottom: 3 mm
Internal diameter tank: 2.590 mm

Cylinder height: 3.000 mm
Total height of tank: 4.000 mm

SKU: 269617

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: coatings industry; tanks with partly strong dents; outlet goes over the end of the feet (see pictures), for installation this must be considered; diameter manhole 600 mm; some residues of previous

Övrig information2: content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 16000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.590 mm

Total höjd: 4.000 mm

**Tjocklek på tank**

Botten: 3 mm

Cylinder: 2 mm

Topp: 2 mm

Mer

Isolerad: Nej