16000 liter tank i Syrafast 316



154 000 SEK /st exkl moms

Additional information: Rennet production
Volumetric volume (L): 16.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN40 DIN 11851

Agitator: yes
Internal diameter tank: 2.185 mm
Outer diameter tank: 2.340 mm
Total height of tank: 5.600 mm

SKU: 403610

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Rennet production; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 16000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.185 mm
Total höjd: 5.600 mm
Ytterdiameter: 2.340 mm

Mer

Isolerad: Ja

Rodervägen 57
891 78 Bonässund
info@processoverskott.se