

16300 liter tank i Rostfritt 304



241,000,00 kr /st exkl moms

Article type: second-hand pressure tank

Volumetric volume (L): 16.300 L

Pressure in tank: vacuum

Max. pressure (Bar): 0,50 Bar

Min. pressure (Bar): -1 Bar

Max. temperature (°C): 50 °C

Min. temperature (°C): -10 °C

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: dished

Total discharge: yes

Fixation points: 2 saddles

Fixation point(s): painted steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: inside Ø 100 mm

Internal diameter tank: 1.800 mm

Outer diameter tank: 2.000 mm

Cylinder height: 6.000 mm

Empty weight tank: 2.800

SKU: 479195

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: vacuum
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Min. arbetstemperatur: -10 °C
Mobil tank: Nej
Omrörare: Nej
Övertryck: 0,50 Bar
Tankens form: cylindrical
Total urtappning: Ja
Undertryck (vakuum): -1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 16300

Utrustning

Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 100 mm
Teknisk ritning finns: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): painted steel

Dimensioner av tank

Cylinderhöjd: 6.000 mm
Invändig diameter: 1.800 mm
Ytterdiameter: 2.000 mm

Mer

Isolerad: Nej

Vikt: 2.800
