16500 liter tank i Rostfritt 304



185 000 SEK /st exkl moms

Additional information: Manhole diameter approx. 445 mm; double jacket with trickle ring - only suitable for unpressurized tempering; double jacket cladding has partially come loose in the area of the upper weld seams; small dents in the double jacket; lower heating connection has been deflected; dome screws of the feet missing
Volumetric volume (L): 16.500 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3,20 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 140 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 70
Internal diameter tank: 2.240 mm
Outer diameter tank: 2.420 mm
Total height of tank: 5.300 mm

SKU: 486413

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure and vacuum
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 140 °C
Mobil tank: Nej
Övrig information: Dairy; Manhole diameter approx. 445 mm; double jacket with trickle ring – only suitable for pressureless tempering; double jacket cladding has partially come loose in the area of the upper welds;
Övrig information2: small dents in the double jacket; lower heating connection cut off; height-adjustable screws of the feet are missing
Omrörare: Nej
Övertryck: 3,20 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 16500

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.240 mm
Total höjd: 5.300 mm
Ytterdiameter: 2.420 mm

Mer
Isolerad: Nej