

## 16971 liter tank i Rostfritt 304



**142 000 SEK /st exkl moms**

**Additional information:** Half-pipe coil 3 systems (16, 41 & 59 liters); small pressure marks in the cylinder; fastenings of the manhole cover mostly missing; ladder bracket bent (see photos); some residues of previous content

**Volumetric volume (L):** 16.971 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Volume:** 116 L  
**Max Overpressure:** 0,90 Bar  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes

**Flange for agitator:** no  
**Position of manway:** cylinder  
**Outlet of tank:** DN50 DIN 11851  
**Internal diameter tank:** 2.530 mm  
**Cylinder height:** 2.990 mm

**Total height of tank:** 4.200 mm

**SKU:** 313736

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Half coil 3 systems (16, 41 & 59 liters); small dents in the cylinder; Fasteners for the manhole cover are mostly missing; Ladder bracket bent (see photos); some residues of previous content

Övrig information2: content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 16971

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.990 mm

Invändig diameter: 2.530 mm

Total höjd: 4.200 mm

## Mer

Isolerad: Nej

