170 liter tank i Syrafast 316



28 000 SEK /st exkl moms

Additional information: Chassis made of V4A (plastic wheels with aluminum brackets); handhole diameter 200 mm; the upper cylinder section can be removed from the lower part of the container
Volumetric volume (L): 170 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 50

Agitator: yes
Power: 0,25
Internal diameter tank: 590 mm
Cylinder height: 640 mm
Total height of tank: 1.600 mm

SKU: 740485

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Chassis made of V4A (plastic wheels with aluminum brackets); handhole diameter 200 mm; the upper cylinder section can be removed from the lower part of the container; we can't give any guarantees
Övrig information2: about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 170

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 640 mm
Invändig diameter: 590 mm
Total höjd: 1.600 mm

Omrörare

Kraft (kW): 0,25

Mer
Isolerad: Nej