

1700 liter tank i Rostfritt 304



70,000,00 kr /st exkl moms

Additional information: Connections to the heating coils around the cylinder and the lower bottom were partially welded shut by the previous operator; we suspect that the heating coils are no longer functional; bump at the insulation jacket

Volumetric volume (L): 1.700 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Agitator: yes
Number of revolutions: 16 / 33
Power: 0.66 / 1.3
Internal diameter tank: 1.260 mm

Outer diameter tank: 1.420 mm
Cylinder height: 1.320 mm
Total height of tank: 2.950 mm

SKU: 300608

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Connections to the heating coils around the cylinder and the lower bottom were partially welded shut by the previous operator; we suspect that the heating coils are no longer functional; bump at the

Övrig information2: insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1700

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.320 mm

Invändig diameter: 1.260 mm

Total höjd: 2.950 mm

Ytterdiameter: 1.420 mm

Omrörare

Kraft (kW): 0.66 / 1.3

Varvtal: 16 / 33

Mer

Isolerad: Ja