

## 1700 liter tank i Rostfritt 304



**38 000 SEK /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** The tank is placed on a scale.; we can't give any guarantees about the agitator

**Volumetric volume (L):** 1.700 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** flat

**Shape of tank:** cylindrical

**Bottom type:** flat

**Total discharge:** yes

**Fixation points:** not foreseen

**Manway(s):** RVS 304

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 500 mm x H 650 mm

**Tank outlet:** inside Ø 50 mm

**Agitator:** yes

**Agitator type:** disk agitator

**Position engine:** at the top

**Voltage:** three-phase

**Internal diameter tank:** 1.504 mm

**Distance from outlet to ground:** 205 mm

**Outer diameter tank:** 1.600 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 1.650 mm

**Empty weight tank:** 600

**SKU:** 701972

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: The tank is placed on a scale. The scale is functional.; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1700

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## Dimensioner av tank

Cylinderhöjd: 1.000 mm  
Invändig diameter: 1.504 mm  
Mått utlopp till marken: 205 mm  
Total höjd: 1.650 mm  
Ytterdiameter: 1.600 mm

## Omrörare

Position motor: at the top  
Typ av omrörare: disk agitator  
Spänning (Volt): three-phase

## Mer

Isolerad: Nej  
Vikt: 600