

## 1700 liter tank i Syrafast 316



**230 000 SEK /st exkl moms**

**Additional information:** Pharmacy

**Volumetric volume (L):** 1.700 L

**Pressure in tank:** vacuum

**Max. pressure (Bar):** 4 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** no

**Volume:** 230 L

**Max Overpressure:** 8 Bar

**Max. working temperature:** 100 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Agitator:** yes

**Internal diameter tank:** 1.170 mm

**Outer diameter tank:** 1.400 mm

**Cylinder height:** 1.170 mm

**Total height of tank:** 3.250 mm

**SKU:** 302199

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: pharmacy; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Nej

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1700

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 1.170 mm

Invändig diameter: 1.170 mm

Total höjd: 3.250 mm

Ytterdiameter: 1.400 mm

**Mer**

Isolerad: Ja

---