

17300 liter tank i Rostfritt 304



210 000 SEK /st exkl moms

Additional information: colour industry; 1 tank (internal no. 7081-3) with a smaller dent and a trimmed connection in the upper bottom; some residues of previous content

Volumetric volume (L): 17.300 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 50
Agitator: yes
Number of revolutions: 47 / 95
Power: 17 / 27
Cylinder: 8 mm

Bottom: 4 mm
Internal diameter tank: 2.900 mm
Cylinder height: 1.800 mm
Total height of tank: 5.100 mm

SKU: 266266

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: colour industry; 1 tank (internal no. 7081-3) with a smaller dent and a trimmed connection in the upper bottom; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 17300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.800 mm

Invändig diameter: 2.900 mm

Total höjd: 5.100 mm

Omrörare

Kraft (kW): 17 / 27

Varvtal: 47 / 95

Tjocklek på tank

Botten: 4 mm

Cylinder: 8 mm

Mer

Isolerad: Nej