

17452 liter tank i Syrafast 316



240,000,00 kr /st exkl moms

Additional information: Beverage industry; 1 foot without height-adjustable screw to accommodate a load cell (no longer available)

Volumetric volume (L): 17.452 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 65

Agitator: yes

Number of revolutions: 92

Power: 3

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 2.400 mm

Cylinder height: 3.000 mm

Total height of tank: 5.200 mm

SKU: 313238

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure and vacuum

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Beverage industry; 1 foot without height-adjustable screw to accommodate a load cell (no longer available); we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 17452

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.400 mm

Total höjd: 5.200 mm

Omrörare

Kraft (kW): 3

Varvtal: 92

Tjocklek på tank

Botten: 6 mm

Cylinder: 6 mm

Mer

Isolerad: Nej