

17500 liter tank i Rostfritt 304



133,000,00 kr /st exkl moms

Additional information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); Wall thickness of the lowest cylinder segment: 2.5 mm; If you are looking for another tank that is identical to this item, we can possibly offer you 1 identical tank from an external warehouse (no guarantee)

Volumetric volume (L): 17.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Top: 2,50 mm
Cylinder: 2 mm
Bottom: 2,90 mm
Internal diameter tank: 2.330 mm
Cylinder height: 3.950 mm

Total height of tank: 5.000 mm

SKU: 276142

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); Wall

Övrig information2:

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 17500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.950 mm

Invändig diameter: 2.330 mm

Total höjd: 5.000 mm

Tjocklek på tank

Botten: 2,90 mm

Cylinder: 2 mm

Topp: 2,50 mm

Mer

Isolerad: Nej