

## 17500 liter tank i Rostfritt 304



**133,000,00 kr /st exkl moms**

**Additional information:** Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); Wall thickness of the lowest cylinder segment: 2.5 mm; If you are looking for another tank that is identical to this item, we can possibly offer you 1 identical tank from an external warehouse (no guarantee)

**Volumetric volume (L):** 17.500 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** no

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Top:** 2,50 mm  
**Cylinder:** 2 mm  
**Bottom:** 2,90 mm  
**Internal diameter tank:** 2.330 mm  
**Cylinder height:** 3.950 mm

**Total height of tank:** 5.000 mm

**SKU:** 276142

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); Wall

Övrig information2:

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 17500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.950 mm

Invändig diameter: 2.330 mm

Total höjd: 5.000 mm

**Tjocklek på tank**

Botten: 2,90 mm

Cylinder: 2 mm

Topp: 2,50 mm

**Mer**

Isolerad: Nej